EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	((server or computer or device) adj1 receiv$3 near2 (request or query) near2 (client or server or computer or device)) and disassembl$4 and (post-process$4 or postprocess$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:23
S2	3633	((server or computer or device) adj1 receiv$3 near2 (request or query) near2 (client or server or computer or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:06
S3	3292	S2 and process$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:31
S4	546	S3 and $4assembl$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:22
S5	97	S4 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:22
S6	15	S5 and (rows and columns)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 09:23
S7	3633	((server or computer or device) adj1 receiv$3 near2 (request or query) near2 (client or server or computer or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:37
S8	1	S7 and process$4 and ($3assembl$3 near2 (row or column))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:33
S9	0	S7 and process$4 and (disassembl$3 near2 (row or column))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:34

EAST Search History

S10	0	S7 and (post near2 (query near2 process$4)) and ((disassembl$3 or divi$5 or break$3) near2 (row or column))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 10:35
S11	2	"6493710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 09:21
S12	1	"6112197".pn.	USPAT	OR	OFF	2006/02/27 12:45
S13	1	"6112197".pn.	USPAT	OR	OFF	2006/02/27 12:46
S14	1	"6061678".pn.	USPAT	OR	OFF	2006/02/27 12:47
S15	1	"6738790".pn.	USPAT	OR	OFF	2006/02/27 12:47
S16	0	("number of" adj1 (column or field)) near2 threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:35
S17	0	("number of" near2 (column or field)) near2 threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:25
S18	0	("number of" near2 (column or field)) near threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 10:25
S19	0	(((server or computer or device or database) near2 transmi$5) and (all near2 (row or column or field))) and (client or computer or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:39
S20	0	(((server or computer or device or database) near2 transmi$5) and (all near2 (row or column or field)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:39
S21	513	((column or field) near2 threshold) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:40
S22	345	(query or request) and ((column or field) near2 threshold) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:40

S24	77	S22 and (transmit$4 near2 (client or computer or device or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:41
S25	49	S24 and (data near2 (conver$4 or format$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:44
S26	48	S25 and (@rlad < "20030909" or @ad < "20030909")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:47
S27	2	"6061689".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:46
S28	12	("5043872" | "5479654" | "5495608" | "5625813" | "5659794" | "5664172" | "5826253" | "5826270" | "5848409" | "5895463" | "5903888" | "6006232").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 12:53
S29	29	((server or computer or database) near2 ((transmit$4 or send$4) adj1 (table or row or field or column))) and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:44
S30	0	((server or computer or database) near2 ((transmit$4 or send$4) adj1 (table or row or field or column))) near2 threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:43
S31	10169	(table or row or column or field) near2 threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:43
S32	10	((server or computer or database) near2 ((transmit$4 or send$4) adj1 (table or row or field or column))) and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:44
S33	478	((server or computer or database) near2 (transmit$4 or send$4)) and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:45

S34	0	S33 and ((data adj1 size) near2 threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:45